

Specification

Used Canning Line

Make	KRONES, KHS, Niko
Year	2008
Capacity	60.000 cans/h at 330ml
Cans	250ml Sleek and 330ml Base
Filling product	Carbonated Softdrinks
Packing	6x4 in tray with foil
Pallet	Industrial pallet 1.200 x 1.000 mm
Control unit	Siemens S7
Production voltage	TN-S-net / 400 V / 50 Hz
Availability	Immediately

MACHINES:

New can depalletizer	KRONES, Pressant Universal 1A 3-side duct machine High discharge Layer pad and top-frame remover
Empty can inspection	KRONES Cantronic
Rinser	Hysek with BMH-Invertor, 1 Channel
Mixer	KRONES Contiflow 30/2
Filler	KRONES VOLUMETIC VODM-C 2880-100-90 100 filling valves With FERRUM seamer Type F512, Year 2012
Seam feeding	CSW, manual lane
Filling height control	KRONES FM-G Fill level check with Gamma and seam control
Warmer	Niko, housing in one part, 1 level, plastic chain

Dryer	Sekomak
Can control	KRONES Checkmat 707 F-G
Coding device	Markem-Imaje 9750
Dryer	Sekomak
Packing machine	KHS Kisters Innopack TSP060V Pad or Tray, 6-lane infeed for cans, 2-lane infeed for packs
Palletizer	KRONES Modulpal 1A 2 external turning units, 2-lane infeed
Pallet Stretch Wrapper	Atlanta

Inclusive available empty can, can, pack and pallet conveyors according to layout







